



MAXSON ENTERPRISES

Sourcing and shipping worldwide

MERCHANT EXPORTER & IMPORTER AND GLOBAL SOURCING AGENT

**ADDRESS: 63/C, MAX VILLA, MAHATMA ROAD, PERUMPILLY, NJARACKAL PO
ERNAKULAM, KOCHI -682505, KERALA, INDIA**

PHONE – 9497037620 /9567157430, Business WhatsApp – 9567157430

EMAIL: maxsonenterprises1@gmail.com // web: maxsonenterprises.com

MSME REG NO: UDYAM-KL-02-0083792

GST: 32AOEPM7010G1ZF

IEC: AOEPM7010G

RCMC: RCMC/FIEO/07348/2024-2025

FSSAI (CENTRAL LICENCE): 11324999000501



Member of: Federation of Indian Export Organizations

ENGINEERING PRODUCTS LIST ↓



Bronze / S.S. Non-IBR Valves

Union Bonnet Globe Valve No.9

Bronze (Screwed) Class-150	8 - 100 mm
S.S. (Screwed) PN-25	15 - 50 mm
Bronze (Flanged) Class-150	15 - 100 mm



(For Water /Steam /Oil)

Globe Valve

Bronze (Screwed) PN-20	8 - 100 mm
S.S. (Screwed) PN-20	15 - 50 mm



(For Water /Oil)

Globe Valve

Bronze (Screwed) PN-16	15 - 50 mm
Bronze (Flanged) PN-16	15 - 200 mm



(For Water /Oil /Air)

Horizontal Lift Check Valve

Bronze (Screwed) PN-16	15 - 100 mm
S.S. (Screwed) PN-16	15 - 50 mm
Bronze (Flanged) PN-16	15 - 100 mm



(For Water /Oil /Air)

Horizontal Lift Check Valve No.5 & No.10

Bronze (Screwed) PN-20	15 - 100 mm
S.S. (Screwed) PN-25	15 - 50 mm



(For Water /Steam /Oil)

Union Cover Horizontal Lift Check Valve No.9

Bronze (Screwed) PN-20	15 - 100 mm
S.S. (Screwed) PN-25	15 - 50 mm
Bronze (Flanged) PN-20	15 - 100 mm



(For Water /Steam /Oil)

Angle Check Valve Right Angle Pattern

Bronze (Screwed) PN-16



(For Water /Oil)

Thermodynamic Steam Trap

Bronze (Screwed) 15 - 50 mm



(For Steam)

Y-Type Strainer

Bronze (Screwed)	15 - 65 mm
S.S. (Screwed)	15 - 50 mm



(For Water /Steam /Oil)



Bronze / S.S. Non-IBR Valves

(2)

Valves, Fittings & Boiler Mountings

Gland Packed Water Level Gauge

Bronze (Screwed) 10 - 20 mm
Bronze (Flanged) 10 - 20 mm

Asbestos Packed also available

(For Water /Steam/Oil)



Sight Flow Indicator

Bronze (Screwed) 15 - 50 mm
Bronze (Screwed) 15 - 40 mm

(For Water /Oil)



Pressure Relief Valve Open / Closed Discharge

Bronze (Screwed) 15 - 50 mm
Bronze (Screwed) 15 - 80 mm

(For Water /Steam)



Globe Valve No.4

Bronze (Screwed) PN-16 8 - 100 mm
S.S. (Screwed) PN-16 15 - 50 mm

(For Water /Steam/Oil)



Gland Cock

Bronze (Screwed) 15 - 50 mm
Bronze (Flanged) 15 - 100 mm

(For Water /Oil)



Plug Cock (Main Cock)

Bronze (Screwed) 10 - 80 mm
Bronze (Flanged) 15 - 100 mm

(For Water Oil)



Angle Globe Valve No.4 Right Angle Pattern

Bronze (Screwed) PN-16 8 - 50 mm

(For Water /Oil)



Gate Valve Pegular Type / Non-Rising Stem

Bronze (Screwed) 8 - 150 mm
S.S. (Screwed) 15 - 50 mm
Bronze (Flanged) 15 - 150 mm

(For Water /Oil)



Multi Utility Check Valve

S.S. (Screwed) 15 - 50 mm

(For Water /Oil)





Bronze / S.S. Non-IBR Valves

(3)

Valves, Fittings & Boiler Mountings

Gate Valve Rising Stem

Bronze (Screwed) 15 - 100 mm

(For Water/Oil)



Swing Check Valve

Bronze (Screwed) PN-16 15 - 50 mm
S.S. (Screwed) PN-16 15 - 50 mm

(For Water / Oil)



Vertical Lift Check Valve One / Two Piece Design

Bronze (Screwed) 15 - 100 mm
S.S. (Screwed) 15 - 50 mm
Bronze (Screwed) PN-20 15 - 80 mm

(For water/Gas / Oil /Air)



Foot Valve (Screwed)

Bronze PN 20 15 - 200 mm
Bronze (Hole Type) PN 20 15 - 80 mm

(For Water / Oil)



Globe / Gate Valve with Indicator & Pad Locking Arrangement

Bronze 15 - 50 mm
Bronze 15 - 50 mm

(For Water /Oil)



Gate / Globe Valve with Indicator & Pad Locking Arrangement

Bronze (Flanged) 15 - 150 mm
Bronze (Flanged) 15 - 100 mm

(For Water Oil)



Butterfly Valve

Cast Iron (S.S. Disc) Class-125 ISI 25 - 300 mm
Cast Iron (S.G. Iron Disc) Class-125 ISI 25 - 300 mm
Cast Steel (S.S. Disc) Class-125 25 - 300 mm
Cast Iron (S.G. Iron Disc) PN-16 ISI 25 - 300 mm
Cast Iron (S.S. Disc) PN-16 ISI 25 - 350 mm
Cast Steel PN-40 25 - 300 mm
Ductile Iron PN-25 (S.G. Iron Disc) 25 - 300 mm
Ductile Iron PN-25 (S.S. Disc) 25 - 300 mm

(For Water/Oil /Air)



Also Available with Actuator & Limit Switch
Valves Sizes 8" & above are available with Gear Arrangement.

Flap Non Return Valve

S.G.Iron PN-16 40 - 300 mm

(For Water /Oil /Air)





Bronze / S.S. Non-IBR Valves

(4)

Valves, Fittings & Boiler Mountings

Kinetic Type Air Release Valve

Cast Iron (Flanged) PN-1.0 40 - 200 mm

(For Water / Oil)



Dual Plate Check Valve

Cast Iron Class-125 50 - 300 mm



(For Water / Oil / Air)



ISI Valves

Vertical Lift Check Valve

Bronze (Screwed) Class-1 15 - 100 mm

(For Water / Oil)



Gate Valve

Bronze (Screwed) Class-1 15 - 100 mm
Bronze (Flanged) Class-1 15 - 100 mm
Bronze (Screwed) Class-2 15 - 100 mm
Bronze (Flanged) Class-2 15 - 100 mm

(For Water / Oil)



Globe Valve

Bronze (Flanged) Class-1 15 - 100 mm
Bronze (Screwed) Class-1 15 - 100 mm
Bronze (Flanged) Class-2 15 - 100 mm
Bronze (Screwed) Class-2 15 - 100 mm

(For Water / Oil)



Horizontal Lift Check Valve

Bronze (Screwed) Class-1 15 - 100 mm
Bronze (Flanged) Class-1 15 - 100 mm

(For Water / Oil)



Gate Valve Yoke Type

Bronze (Screwed) Class-1 15 - 100 mm
Bronze (Flanged) Class-1 15 - 100 mm
Bronze (Screwed) Class-2 15 - 100 mm
Bronze (Flanged) Class-2 15 - 100 mm

(For Water / Oil)



Globe Valve Yoke Type

Bronze (Screwed) Class-1 15 - 100 mm
Bronze (Flanged) Class-1 15 - 100 mm
Bronze (Screwed) Class-2 15 - 100 mm
Bronze (Flanged) Class-2 15 - 100 mm

(For Water / Oil)





Sluice Valve

Cast Iron (Flanged) PN-1.0 50 - 600 mm
 Cast Iron (Flanged) PN-1.6 50 - 600 mm

(For Water /Oil)



Gate Valve

Cast Iron (Flanged) PN-1.0 50 - 600 mm
 Cast Iron (Flanged) PN-1.6 50 - 600 mm

(For Water / Oil)



Reflux (Non-Return) Valve

Cast Iron (Flanged) PN-1.0 50 - 500 mm
 Cast Iron (Flanged) PN-1.6 50 - 500 mm

(For Water / Oil)



Resilient Seated Gate Valve

Ductile Iron (Flanged) 50 - 800 mm
 PN-10 / PN-16

(For Water/oil/Air)



Balancing Valve

Cast Iron (Flanged) Class-150 25 - 600 mm
 (Also available in different material & pressure classes)

(For Water)



Ball Valves

Ball Valve Two Piece Design

Bronze (Screwed) PN-20 8 - 100 mm
 Bronze (Flanged) PN-16 15 - 125 mm

(For Water /Steam/oil/Air)



Ball Valve Two / Three Piece Design

Cast Iron (Screwed) Class-125 15 - 100 mm
 Cast Iron (Flanged) 3Pc. Design 15 - 200 mm

(For Water/Steam/oil/Air)



Ball Valve with Strainer One Piece Design

Bronze (Screwed) PN-20 15 - 50 mm

(For Water/Steam/Gas/Oil/Air)





Ball Valves

Valves, Fittings & Boiler Mountings

Ball Valve Two / Three Piece Design

S.S. (Screwed) CF8	6 - 50 mm
S.S. (Screwed) CF8M	6 - 50 mm
S.S. (Flanged) CF8M 3Pc.	15 - 100 mm
S.S. (Flanged) CF8 3Pc.	15 - 100 mm

**(For water/steam/gas/oil/Air)**

Ball Valve One Piece Design

S.S. (Screwed) CF8	15 - 50 mm
S.S. (Screwed) CF8M	15 - 50 mm

**(For Water/Steam/Gas/Oil/Air)**

Ball Valve Three Piece Design

S.S. (Screwed) CF8	15 - 50 mm
S.S. (Screwed) CF8M	15 - 50 mm

**(For Water/Steam/Gas/Oil/Air)**

Ball Valve Three Piece Design

C.C.S. (Screwed) WCB Class-800	15 - 50 mm
C.C.S. (Flanged) WCB Class-150	15 - 100 mm
C.C.S. (Flanged) WCB Class-150 (2Pc. Design)	15 - 100 mm

**(For Water/Steam/Gas/Oil/Air)**IBR
Approved**Bronze Valves**

Globe Steam Stop Valve

Bronze (Screwed)	15 - 50 mm
Bronze (Flanged) Table-H	15 - 50 mm
Bronze (Flanged) Table-F	15 - 50 mm

**(For Water/Steam/Oil)**

Auxiliary Steam Stop Valve

Bronze (Screwed)	15 - 50 mm
Bronze (Flanged) Table-H	15 - 50 mm
Bronze (Flanged) Table-F	15 - 50 mm

**(For Water /Steam / Oil)**

Y-Type Strainer

Bronze (Screwed)	15 - 50 mm
Bronze (Flanged)	15 - 50 mm

**(For Water /Steam /Oil)**

Horizontal Lift Check Valve

Bronze (Screwed)	15 - 50 mm
Bronze (Flanged)	15 - 50 mm

**(For Water /Steam /Oil)**



Bronze / Cast Steel Valves

Valves, Fittings & Boiler Mountings

(7)

IBR
Approved

Sleeve Packed Water Level Gauge

Bronze (Flanged) - IBR	15 - 20 mm
Cast Carbon Steel (Flanged)	20 mm



(For Water / Steam)

Thermodynamic Steam Trap

Bronze (Screwed)	15 - 25 mm
Stainless Steel (Screwed)	15 - 50 mm
Drop Forged S.S. (Screwed)	15 - 25 mm



(For Steam)

Parallel Slide Blow Off Valve

Bronze (Flanged)	25 - 80 mm
Cast Carbon Steel (Flanged) Table-J	25 - 65 mm
Cast Carbon Steel (Flanged) Class-300	25 - 65 mm



(For Water / Steam)

Fusible Plug One / Two Piece / Loco Type Design

Bronze (Screwed) - Two Piece	15 - 50 mm
Bronze (Screwed) - One Piece	15 - 25 mm
Bronze (Screwed) - Loco Type	25 - 32 mm



(For Steam)

Vertical Non-Return Valve Two Piece Design

Bronze (Screwed)	15 - 50 mm
Bronze (Flanged)	15 - 50 mm



(For Water / Steam / Oil)

Pressure Reducing Valve Diaphragm

Bronze (Screwed)	15 - 50 mm
------------------	------------



(For Steam)

Safety Valve Open / Enclosed Discharge

Right Angle - Enclosed (S/E)	15 - 50 mm
------------------------------	------------

(For Steam)



Open (S/E)

Pop Type - Open (S/E), AV-233 Pop Type - Open (F/E)

Right Angle Pop Type - Enclosed (S/E), AV-235 Right Angle Pop Type - Enclosed (F/E)

Sight Flow Indicator Single Window

AV-238 Bronze (Screwed)	15 - 50 mm
-------------------------	------------



(For Water / Steam)

Inspector's Test / Pressure Gauge Cock

Bronze (Screwed)	10 - 15 mm
Bronze (Screwed)	10 - 15 mm



(For Water / Steam)

Globe / Junction Steam Stop Valve

Cast Iron (Flanged) PN-16 15 - 150 mm
 Cast Iron (Flanged) PN-16 15 - 150 mm



(For Water /Steam /Oil)

Horizontal Lift Check Valve - Straight / Right Angle Pattern

Cast Iron (Flanged) PN-16 15 - 150 mm
 Cast Iron (Flanged) PN-16 15 - 150 mm



(For Water /Steam /Oil)

Y-Type Strainer

Cast Iron (Flanged) 25 - 200 mm
 Cast Iron (Screwed) 15 - 50 mm



(For Water /Steam /Oil)

Accessible Feed Check Valve Straight / Right Angle Pattern

Cast Iron (Flanged) 25 - 65 mm



(For Water /Steam /Oil)

Stop Cum Non-Return Valve Straight / Right Angle Pattern

Cast Iron (Flanged) PN-16 15 - 200 mm



(For Water /Steam /Oil)

Vertical Inverted Bucket Type Steam Trap

Cast Iron (Screwed) 15 - 50 mm



(For Steam)

Single / Double Post Hi-Lift Safety Valve Right Angle Pattern

Cast Iron (Flanged) 25 - 50 mm
 Cast Iron (Flanged) 25 - 50 mm



(For Steam)

Pilot Operated Pressure Reducing Valve

Cast Iron (Flanged) 25 - 50 mm
 Cast Carbon Steel (Flanged) 25 - 50 mm



(For Steam)

Moisture Separator

Cast Iron (Flanged) 25 - 150 mm
 Cast Carbon Steel (Flanged) 25 - 150 mm



(For Steam)



Cast Iron / Cast Steel Valves

Valves, Fittings & Boiler Mountings

(9)

IBR
Approved

Non-Slam Check Valve

Stainless Steel Class-150	15 - 100 mm
Stainless Steel Class-300	15 - 100 mm



(For Water /Steam /Oil)

Ball Float Steam Trap

Cast Iron (Screwed) 15 - 50 mm



(For Steam)

Piston Valve

Cast Carbon Steel (Flanged) PN-40	25 - 100 mm
Cast Carbon Steel (Flanged) Class-150	25 - 100 mm
Cast Carbon Steel (Flanged) Class-300	25 - 100 mm

Suitable for : Super Heated Steam, Condensate, Thermic Fluid, Hydro Carbon Chemical



Globe Steam Stop Valve Straight / Right Angle Pattern

Cast Carbon Steel (Flanged) PN-40	15 - 300 mm
Cast Carbon Steel (Flanged) PN-40	25 - 150 mm



(For Water /Steam /oil)

Horizontal Lift Check Valve

Cast Carbon Steel (Flanged) PN-40 15 - 250 mm



(For Water /Steam/Oil)

Y-Type Strainer

Cast Carbon Steel (Flanged) Table-J	25 - 250 mm
Cast Carbon Steel (Flanged) Class-300	25 - 250 mm
Cast Carbon Steel (Flanged) Class-150	25 - 250 mm



(For Water /Steam /Oil)

Stop Cum Non Return Valve Straight / Right Angle Pattern

Cast Carbon Steel (Flanged) PN-40	25 - 150 mm
Cast Carbon Steel (Flanged) PN-40	25 - 150 mm



(For Water/Steam /Oil)

Accessible Feed Check Valve

Cast Carbon Steel (Flanged) 25 - 80 mm



(For Water /Steam /Oil)

Single / Double Post Hi-Lift / Full Lift Safety Valve - Flanged

Cast Carbon Steel (Single Post)	25 - 50 mm
Cast Carbon Steel (Double Post)	25 - 50 mm
Cast Carbon Steel (Full Lift)	25 x 40 - 100 x 50 mm



(For Steam)



Cast Steel Valves

Valves, Fittings & Boiler Mountings

IBR
Approved

Gate Valve

- Cast Carbon Steel (Flanged) Class-150 15 - 600 mm
- Cast Carbon Steel (Flanged) Class-300 25 - 300 mm
- Cast Carbon Steel (Flanged) Class-600 40 - 200 mm
- (Non IBR) CCS (Flanged) Class-150 (Suitable for Thermic Fluid) 15 - 600 mm**

(For Water /Steam /Oil)



Globe Valve

- Cast Carbon Steel (Flanged) Class-150 15 - 300 mm
- Cast Carbon Steel (Flanged) Class-300 15 - 250 mm
- Cast Carbon Steel (Flanged) Class-600 40 - 200 mm
- (Non IBR) CCS (Flanged) Class-150 (Suitable for Thermic Fluid) 15 - 300 mm**

(For Water /Steam /Oil)



Swing Check Valve

- Cast Carbon Steel (Flanged) Class-150 40 - 600 mm
- Cast Carbon Steel (Flanged) Class-300 40 - 200 mm
- Cast Carbon Steel (Flanged) Class-600 40 - 200 mm
- (Non IBR) CCS (Flanged) Class-150 (Suitable for Thermic Fluid) 40 - 600 mm**

(For Water /Steam /Oil)



Knife Edge Gate Valve

- Cast Iron (Flanged) PN-10 / PN-16 50 - 600 mm
- (Also available in different material & pressure classes, with Electrical & Pneumatic Actuator)

Suitable for : Slurry, Semisolid Fluid, Heavy Oils, Viscous Fluids



Control Valve

- Cast Carbon Steel (Flanged) Class-150 25 - 300 mm
- (Also available with Electrical & Pneumatic Actuator)

(For Steam)



Valves, Fittings & Boiler Mountings **IBR**
Approved

Forged Carbon Steel Valves

Gate Valve - AV301 & AV302 / Globe Valve - AV303 & AV304

- Drop Forged Steel (Screwed) Class-800 15 - 50 mm
- Drop Forged Steel (Socket Welded) Class-800 15 - 50 mm
- Drop Forged Steel (Screwed) Class-800 15 - 50 mm
- Drop Forged Steel (Socket Welded) Class-800 15 - 50 mm

(For Water /Steam /Oil)



Horizontal Lift Check Valve

- Drop Forged Steel (Screwed) Class-800 15 - 50 mm
- Drop Forged Steel (Socket Welded) Class-800 15 - 50 mm

(For Water /Steam /Oil)



Needle Valve Regulating Type

- Drop Forged S.S. (Screwed) Class-800 15 mm

(For Water /Steam /Oil)





Stainless Steel Valves

(11)

Valves, Fittings & Boiler Mountings

Investment Casting Stainless Steel (CF8) Butterfly Handle Ball Valve

· S.S. (Screwed) PN-40 8 - 15 mm



(For Water/Gas/Oil/Air)

Investment Casting Stainless Steel (CF8) Ball Valve

S.S. (Screwed) PN-40	8 - 50 mm
S.S. (Screwed)	8 - 80 mm
S.S. (Flanged) Class-150	15 - 100 mm



(For Water/Steam/Gas/Oil/Air)

Compact Pressure Reducing Valve (P.R.V)

S.S (Screwed) PN-16 15-50mm



(For Water)

Test Drain Ball Valve

S.S (Screwed) 300 Psi 15-50mm



(For Water)

Air Vent Valve

S.S (Screwed) PN-10 15-25mm



(For Water)

Float Valve

S.S (Screwed) PN-10 15-25mm



(For Water)

Concealed Ball Valve

S.S (Screwed) PN-25 15-50mm



(For Water)



Stainless Steel Pipe Fittings (PN-25)

(12)

Valves, Fittings & Boiler Mountings

90° Elbow & Red. Elbow

8 - 100 mm
8 - 100 mm



90° Tee & Red. Tee

8 - 100 mm
8 - 100 mm



Street Elbow

8 - 100 mm



Cross

8 - 100 mm



Union

8 - 100 mm



Round Cap

8 - 100 mm



Square Plug / Dummy

8 - 100 mm

Hex Head Plug

8 - 100 mm



Hex Nut

8 - 100 mm



Reducing Hex Bushing

10x8 - 100x25 mm



Reducing Socket

10x8 - 50x25 mm



Hex Nipple

8 - 100 mm



Socket

8 - 100 mm



Reducing Hex Nipple

10x8 - 100x25 mm



Hose Nipple

8 - 100 mm



Coupling

8 - 100 mm



Hex Cap

8 - 100 mm



Elbow Union

10 - 50 mm



Elbow 45°

8 - 100 mm



Suitable for Water, Steam, Gas, Oil & Air